



EDIFACT IFCSUM D96A

Forwarding and consolidation summary

Version 1.2

Date 10-02-2022

Table of contents

1. Document versions.....2
 2. Introduction2
 3. Message structure referenced at Faurecia3
 3.1. Segments table 3
 4. Segments description.....4
 5. Example of Message.....43

1. Document versions

Version	Date	Comments
1.0	20.05.2021	Initial issue
1.1	21.07.2021	New segment NAD+FP
1.2	10.02.2022	Add MEA details for each SRN-delivery

2. Introduction

This document provides the specific description of a subset of the EDIFACT IFTCSUM D96.A message to be used between a Faurecia Company and its Trading Partners.

This EDI message guideline covers 2 business cases with Faurecia:

- Collection order
- Forwarding order

The electronic exchange of business communications has become of such importance to the execution of business processes that it can hardly be dispensed with.

For this purpose, the present EDI guideline defines, among other things, which data fields are used for which information, which data fields are numeric/alphanumeric, which data fields are mandatory/optional, what length the individual fields have, and in which order the fields must be transmitted.

For the implementation of the EDI messages it is also essential to note that the specifications of the present EDI message guidelines are to be adhered to. Only in this way can it be achieved that the electronic data exchange can take place as far as possible without manual interference and the appropriate business processes optimally supported.

Advantages of electronic data exchange:

- No loss of quality due to incorrect entries
- Improvement of processes through higher data quality
- Reduction of operating expenses on both sides
- Reduction of required paper documentation
- Cost reduction through automatic processes
- Consistent and accelerated workflow (especially with mass data)
- Avoidance of repeated data entry/changes of media

The IFCSUM message is intended to:

- specify Transport orders (Collection & Forwarding).
- define the aspects that guarantee synchronisation between Faurecia and the Carrier.

Faurecia specific: M=Mandatory, C=Conditional, O=Optional, N=Not used

3. Message structure referenced at Faurecia

3.1. Segments table

In the table hereunder are included only the segments and segment groups used by Faurecia.

Pos.	Tag	Std Sts	Std Rep.	Fau Sts	Fau Rep.	Description
1	UNB	M	1	M	1	Interchange Header
2	UNH	M	1	M	1	Message Header
3	BGM	M	1	M	1	Beginning of message
4	DTM	M	1	M	9	Document date
5	MOA	O	99	O	1	Monetary amount
6	CNT	O	9	O	9	Total consignment cube(15)
7	CNT	O	9	O	9	Total gross weight (7)
8	FTX	O	99	O	99	Free text (General information)
	SG1	C	9	O	9	RFF
9	RFF	M	1	M	1	Bordereau number (AFC)
10	RFF	M	1	M	1	Mutually defined reference number (ZZZ)
	SG5	C	9	O	1	DT-TSR-LOC-DTM-SEL-FTX-SG6-SG7-SG8-SG9
11	TDT	M	99	M	1	Detail of Transport
12	TSR	O	99	O	1	Transport Service Requirements
13	FTX	O	99	O	1	Free text (SUR)
	SG9	C	9	M	1	NAD-LOC-SG12
14	NAD	M	1	M	1	Name and Address (CA -> Carrier)
	SG9	C	9	M	1	NAD-LOC-SG12
15	NAD	M	1	M	1	Name and Address (CZ -> Consignor)
	SG9	C	9	M	1	NAD-LOC-SG12
16	NAD	M	1	M	1	Name and Address (FP -> Freight/charges Payer)
	SG9	C	9	M	1	NAD-LOC-SG12
17	NAD	M	1	M	1	Name and Address (CN -> Forwarder)
18	LOC	O	9	O	1	Place/location identification
	SG10	M	9	M	1	CTA-COM
19	CTA	M	1	M	1	Contact Information (CO -> Contact Person)
20	COM	M	1	M	1	Communication contact
	SG15	M	9999	M	9999	CNI-SG16-SG18-CTA-COM-DTM-CNT-TSR-CUX-MOA-FTX
21	CNI	M	1	M	1	Consignment information
22	DTM	O	9	O	9	Collection/Shipping Date (10)
23	DTM	O	9	O	9	Delivery Date/Time (17)
24	CNT	O	9	M	9	Item consignment (15)
25	CNT	O	9	M	9	Item consignment (7)
	SG21	C	2	M	2	TOD-LOC
26	TOD	M	1	M	1	Terms of Delivery or Transport (6 -> Terms of delivery)
	SG30	O	99	O	99	NAD-DTM
27	NAD	M	1	M	1	Name and Address (PW -> DISPATCH Party)
28	NAD	M	1	M	1	Name and Address (DP -> DELIVERY-Party)
	SG37	C	999	M	1	GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG38-GDS-SG39-SG40-SG41-SG51
29	GID	M	1	M	1	Good item details
	SG39	O	99	O	99	MEA-EQN
30	MEA	M	1	M	1	Measurements (Gross weight)
31	MEA	M	1	M	1	Measurements (Gross volume)
	SG41	O	9	O	9	RFF-DTM
32	RFF	M	1	M	1	Shipment reference number (SRN)
	SG51	O	9	O	9	DGS-FTX-SG34
33	DGS	M	1	M	1	Dangerous goods
34	FTX	O	1	O	1	Free text
	SG53	C	9	O	9	MEA-EQN
35	MEA	M	1	O	1	Measurements
	SG56	C	999	O	999	MEA-EQN
36	EQD	M	1	M	1	Equipment details
37	EQN	O	1	O	1	Number of units
38	UNT	M	1	M	1	Message Trailer
39	UNZ	M	1	M	1	Interchange trailer

4. Segments description

Segment: **UNB** Pos.: 1 Level: 0
Status: M Max. occ.: 1

Function: **INTERCHANGE HEADER**

Usage Notes: Service segment providing the unique identification of an interchange. It allows the identification of the sender and the receiver of the interchange, gives the date and time of preparation as well as the interchange control reference and the application reference

EDIFACT STANDARD			FAURECIA Implementation		
Name	St	Format	St	Sample	Usage / Remarks
UNB				UNB	
S001	SYNTAX IDENTIFIER	M	M		
0001	Syntax identifier	M a..4	M	+UNOC	UNOC = UN/ECE level C 3 = Version 3 Indication of the syntax version used for this message.
0002	Syntax version number	M n..1	M	:3	
S002	INTERCHANGE SENDER	M	M		
0004	Sender identification	M an..35	M	+O093100000875450157PES04	Address of the party originating the message.
0007	Partner identification code qualifier	C an..4	C	:14	Upon agreement
0008	Address for reverse routing	C an..14	C	:605662907	Upon agreement
S003	INTERCHANGE RECIPIENT	M	M		
0010	Recipient identification	M an..35	M	+PARTNERADDRESS	Communication code/mailbox number of the party receiving the message.
0007	Partner identification code qualifier	C an..4	C	:14	Qualifier to be determined by the trading partner
0014	Routing address	C an..14	C	:101649077	Routing Subaddress to be determined by the trading partner
S004	DATE/TIME OF PREPARATION	M	M		
0017	Date of preparation	M n6	M	+130612	YYMMDD
0019	Time of preparation	M n4	M	:0320	HHMM
0020	Interchange control reference	M an..14	M	+0006136'	Number generated by the Faurecia EDI platform

Examples:

UNB+UNOC:3+O093100000875450157PES04+PARTNERADDRESS+130612:0320+0006136' (Without qualifiers)

UNB+UNOC:3+O093100000875450157PES04:14:605662907+PARTNERADDRESS:14:101649077+130612:0320+0006136' (With qualifiers)

Segment: **UNH** Pos.: 2 Level: 0
Status: M Max. occ.: 1

Function: **MESSAGE HEADER**

Usage Notes: Service segment starting and uniquely identifying a message.
The message type code for a delivery schedule message is DELFOR

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
	UNH			UNH	
0062	Message reference number	M an..14	M	+1	Message control number assigned by the sender of the message.
S009	MESSAGE IDENTIFIER	M	M		
0065	Message type identifier	M an..6	M	+IFCSUM	IFCSUM = Forwarding and consolidation summary message
0052	Message type version number	M an..3	M	:D	D = Draft version/UN/EDIFACT Directory
0054	Message type release number	M an..3	M	:96A	96A =Release 1996 – A
0051	Controlling agency	M an..2	M	:UN	UN =UN/ECE/TRADE/WP.4
0057	Association assigned code	N an..6	N		Not used

Example:

UNH+1+IFCSUM:D:96A:UN'

Segment: **BGM** Pos.: 3 Level: 0
Status: M Max. occ.: 1

Function: Identification of order

Usage Notes: Segment for a unique identification of the ordering document, by means of its number. Faurecia Freight Order Number

EDIFACT STANDARD			FAURECIA Implementation		
Name	St	Format	St	Sample	Usage / Remarks
BGM				BGM	
C002	Document/message name	M	M		
1001	Document/message name, coded	M an..3	M	+615	615 = Collection Order 610 = Forwarding Order
1131	Code list qualifier	C an..3	N	:	Not used
3055	Code list responsible agency, coded	C an..3	M	:9	
1000	Document/message name	C an..35	N	:	Not used
C106	Document/message identification	M	M		
1004	Document/message number	M an..35	M	+6100448811	A unique ordering number from Faurecia: Freight Order Number
1056	version	C an..9	N		Not used
1060	Revision number	C an..6	N		Not used
1225	Message function, coded	C an..3	C	+9'	9 = Original 1 = Cancellation 5 = Replace
4343	Response type, coded	C an..3	N		Not used

Example:

BGM+615::9+6100448811+9'

Segment: **DTM** Pos.: 4 Level: 0
Status: M Max. occ.: 1

Function: Document Date/Time

Usage Notes: Document message date & time

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
DTM				DTM	
C507	Date/time/period	M	M		
2005	Date/time/period qualifier	M an..3	M	+137	137 = document / message date
2380	Date/time/period	C an..35	M	:20210519	Message Date/Time
2379	Date/time/period format qualifier	C an..3	M	:102'	102 = CCYYMMDD

Example

DTM+137:20210519:102'

Segment: **MOA** Pos.: 5 Level: 0
Status: O Max. occ.: 1

Function: **Monetary amount**

Usage Notes: To specify the amounts

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
MOA				MOA	
C516	Monetary amount	M	M		
5025	Monetary amount type qualifier	M an..3	M	+157	157 = Insurance value
5004	Monetary amount	M n..18	M	:218.77	Amount
6345	Currency, coded	M an..3	M	:EUR	ISO 4217 3-Alpha-Code, e.g. EUR

Example

MOA+157: 218.77:EUR'

Segment: **CNT** Pos.: 6 Level: 0
Status: O Max. occ.: 1

Function: Total consignment

Usage Notes: Gross volume

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
CNT				CNT	
C270	Control	M	M		15 = Total consignment, gross volume
6069	Control qualifier	M an..3	M	+15	
6066	Control value	M n..18	M	:13.936	
6411	Measure unit qualifier	M an..3	M	:MTQ	

Example:

CNT+15:13.936:MTQ'

Segment: **CNT** Pos.: 7 Level: 0
Status: O Max. occ.: 1

Function: Total consignment

Usage Notes:

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
CNT				CNT	
C270	Control	M	M		7 = Total gross weight
6069	Control qualifier	M an..3	M	+7	
6066	Control value	M n..18	M	:22228	
6411	Measure unit qualifier	M an..3	M	:KGM	

Example:

CNT+7:22228:KGM'

Segment: **FTX** Pos.: 8 Level: 0
Status: O Max. occ.: 1

Function: Free text

Usage Notes: To specify text for delivery information; General information

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
FTX				FTX	
4451	Text subject qualifier	M an..3		+AAI	AAI = General information
4453	Text function, coded	M an..3	N		Not used
C107	Text reference				
4441	Free text, coded	M an..3	N		Not used
1131	Code list qualifier	C an..3	N		Not used
3055	Code list responsible agency, coded	C an..3	N		Not used
C108	Text literal	M	M		
4440	Free text, coded	O an..70	O	FREE TEXT	
4440	Free text, coded	O an..70	O	FREE TEXT	
4440	Free text, coded	O an..70	O	FREE TEXT	
4440	Free text, coded	O an..70	O	FREE TEXT	

Example:

FTX+AAI+++ NOTE WHEN PICKING UP'

Group: **SG1** Status: C Max. occ.: 99

Segment: **RFF** Pos.: 9 Level: 1
Status: M Max. occ.: 1

Function: Reference

Usage Notes: To specify additional reference

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
RFF				RFF	
C506	Reference	M	M		AFC = Bordereau number
1153	Reference qualifier	M an..3	M	+AFC	
1154	Reference number	C an..35	M	:6100448811'	
1156	Code list responsible agency, coded	C an..6	N		Not used
4000	Reference version number	C an..35	N		Not used

Example:

RFF+AFC:6100448811'

Group: **SG1** Status: C Max. occ.: 99

Segment: **RFF** Pos.: 10 Level: 1
Status: M Max. occ.: 1

Function: **Reference**

Usage Notes: To specify additional reference

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
RFF				RFF	
C506	Reference	M	M		
1153	Reference qualifier	M an..3	M	+ZZZ	ZZZ = Mutually defined
1154	Reference number	C an..35	M	:CET'	Ship From Location Address Time Zone Code
1156	Code list responsible agency, coded	C an..6	N		Not used
4000	Reference version number	C an..35	N		Not used

Example:

RFF+ZZZ:CET'

Group: **SG5** Status: C Max. occ.: 1

Segment: **TDT** Pos.: 11 Level: 1
Status: M Max. occ.: 1

Function: **Details on transport**

Usage Notes:

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
TDT				TDT	
8051	Transport stage qualifier	M an..3	M	+20	20 = Main-carriage transport
8028	Conveyance reference number	C an..17	O	+FAS_F16930	Route Schedule ID
C220	Mode of transport	C	N		Not used
8067	Mode of transport, coded	M an..3	N		Not used
8066	Mode of Transport	C an..17	N		Not used
C228	Transport means	C	O		
8179	Transport mode name code	C an..3	O	+31	23 = Rail bulk car / 31 = Truck
8178	Transport mode name	C an..17	O	:FTL Standard	Transport means type code
C040	CARRIER	C	N	+	Not used
3127	Carrier identification	C an..17	N	:	Not used
1131	Code list qualifier	C an1..3	N	:	Not used
3055	Code list responsible agency, coded	C an1..3	O	ZZZ	
3128	Carrier Name	C an1..35	N		Not used
8101	Transit direction coded	C an1..3	N	+	Not used
C401	Excess Transportation Information	C	N	+	Not used
8457	Excess transportation reason, coded	M an1..3	N		Not used
8459	Excess transportation responsibility, coded	M an1..3	N		Not used
7130	Customer authorization number	C an..17	N		Not used
C222	Transport Identification	C	O	+	
8213	Id. of means of transport identification	C an..3	N	:	Not used
1131	Code list qualifier	C an..3	N	:	Not used
3055	Code list responsible agency, coded	C an1..3	N	:	Not used
8212	Id. of the means of transport	C an1..35	O	:LT	
8453	Nationality of means of transport, coded	C an1..3	N	:	Not used
8281	Transport ownership	C an..3	N	:	Not used

Example:

TDT+20+FAS_F16930++31:FTL Standard++++:LT'

Faurecia specific: M=Mandatory, C=Conditional, O=Optional, N=Not used

Group: **SG5** Status: C Max. occ.: 1

Segment **TSR** Pos.: 12 Level: 1
Status: O Max. occ.: 1

Function: **Transport service requirements**

Usage Notes: service and priority requirements for the transport / define Faurecia transport

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
TSR				TSR	
C536	Contract and carriage condition	M	N		
4065	Contract and carriage condition, coded	M an..3	N	+3	3 = Special agreement for full loading transport
1131	Code list qualifier	C an..3	N		Not used
3055	Code list responsible agency, coded	C an..3	N		Not used
C233	Service	M	M		
7273	Service requirement, coded	M an..3	O	+1	1= Carrier loads 4 = Shipper loads
1131	Code list qualifier	C an..3	N		Not used
3055	Code list responsible agency, coded	C an..3	N		Not used
C537	Transport priority	M	M		
4219	Transport priority, coded	M an..3	M	+3	Service Level: 1 = Express 2 = High speed 3 = Normal speed
1131	Code list qualifier	C an..3	N		Not used
3055	Code list responsible agency, coded	C an..3	N		Not used
C703	Nature of cargo	M	O		
7085	Nature of cargo, coded	M an..3	N		Not used
1131	Code list qualifier	C an..3	N		Not used
3055	Code list responsible agency, coded	C an..3	N		Not used

Example:

TSR+3+1+3'

Group: **SG5** Status: C Max. occ.: 1

Segment: **FTX** Pos.: 13 Level: 1
Status: C Max. occ.: 1

Function: Free text

Usage Notes: To specify text for delivery information

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
FTX				FTX	
4451	Text subject qualifier	M an..3		+SUR	SUR = Instructions regarding the collection
4453	Text function, coded	M an..3	N	+	Not used
C107	Text reference	C	O		
4441	Free text, coded	M an..3	N	+	Not used
1131	Code list qualifier	C an..3	N	:	Not used
3055	Code list responsible agency, coded	C an..3	N	:	Not used
C108	Text literal	M	M		
4440	Free text, coded	O an..70	M	'+SECURED'	
4440	Free text, coded	O an..70	O	FREE TEXT	
4440	Free text, coded	O an..70	O	FREE TEXT	
4440	Free text, coded	O an..70	O	FREE TEXT	

Example:

FTX+SUR+++SECURED'

Group: **SG5** Status: M Max. occ.: 1

Group: **SG9** Status: O Max. occ.: 1

Segment: **NAD** Pos.: 14 Level: 2
Status: M Max. occ.: 1

Function: **Carrier**

Usage Notes

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
NAD				NAD	
3035	Party qualifier	M an..3	M	+CA	CA = Carrier
C082	Party identification details	C	M		
3039	Party id. identification	M an..35	M	+148628	Carrier account number assigned by Faurecia
1131	Code list qualifier	C an..3	N		Not used
3055	Code list responsible agency, coded	C an..3	N		Not used
C058	Party Name	C	N	+	Not used
3124	Name and address line	M an..35	N		Not used
3124	Name and address line	C an..35	N		Not used
3124	Name and address line	C an..35	N		Not used
3124	Name and address line	C an..35	N		Not used
C080	Name and address	C	O		
3036	Party name	M an..35	M	+GEODIS POLAND SP. Z O.O.	Carrier's name
3036	Party name	C an..35	C		
3036	Party name	C an..35	C		
3036	Party name	C an..35	C		
3036	Party name	C an..35	C		
3036	Party name	C an..35	C		
C059	Party Name	C	O		
3042	Street and number/p.o. box	M an..35	C	+UL.POSTEPU 17B	Carrier's address
3042	Street and number/p.o. box	C an..35	C		
3042	Street and number/p.o. box	C an..35	C		
3042	Street and number/p.o. box	C an..35	C		
3164	City Name	C an..35	O	+WARSZAWA	
3229	Country sub-entity identification	C an..9	N	+	Not used
3251	Postcode identification	M an..9	C	+02-676	
3207	Country, coded	C an..3	O	+PL	Refer to International Standard ISO 3166

Example:

NAD+CA+148628++GEODIS POLAND SP. Z O.O.+UL.POSTEPU 17B+WARSZAWA++02-676+PL'

Group: **SG5** Status: M Max. occ.: 999

Group: **SG9** Status: O Max. occ.: 9

Segment: **NAD** Pos.: 15 Level: 2
Status: M Max. occ.: 1

Function: **Consignor**

Usage Notes

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
NAD				NAD	
3035	Party qualifier	M an..3	M	+CZ	CZ = Consignor
C082	Party identification details	C	M		
3039	Party id. identification	M an..35	M	+1078000000	Consignor's ID
1131	Code list qualifier	C an..3	N		Not used
3055	Code list responsible agency, coded	C an..3	N		Not used
C058	Party Name	C	N		Not used
3124	Name and address line	M an..35	N		Not used
3124	Name and address line	C an..35	N		Not used
3124	Name and address line	C an..35	N		Not used
3124	Name and address line	C an..35	N		Not used
C080	Name and address	C	O		
3036	Party name	M an..35	M	+DE03_S_STA_1078	Consignee name
3036	Party name	C an..35	C		
3036	Party name	C an..35	C		
3036	Party name	C an..35	C		
3036	Party name	C an..35	C		
3036	Party name	C an..35	C		
C059	Party Name	C	O		
3042	Street and number/p.o. box	M an..35	C	+NORDSEHLER STRASSE 38	Consignor's address
3042	Street and number/p.o. box	C an..35	C		
3042	Street and number/p.o. box	C an..35	C		
3042	Street and number/p.o. box	C an..35	C		
3164	City Name	C an..35	O	STADTHAGEN	
3229	Country sub-entity identification	C an..9	N		Not used
3251	Postcode identification	M an..9	C	+31655	
3207	Country, coded	C an..3	O	+DE	Refer to International Standard ISO 3166

Example:

NAD+CZ+1078000000++DE03_S_STA_1078+NORDSEHLER STRASSE 38+STADTHAGEN++31655+DE'

Group: **SG5** Status: M Max. occ.: 999

Group: **SG9** Status: O Max. occ.: 9

Segment: **NAD** Pos.: 16 Level: 2
Status: M Max. occ.: 1

Function: **Consignor**

Usage Notes Party responsible for the payment of freight.

EDIFACT			FAURECIA Implementation		
Name	St Format	St	Sample	Usage / Remarks	
NAD			NAD		
3035 Party qualifier	M an..3	M	+FP	FP = Freight/charges payer	
C082 Party identification details	C	M			
3039 Party id. identification	M an..35	M	+1078000000	Freight payer's ID	
1131 Code list qualifier	C an..3	N		Not used	
3055 Code list responsible agency, coded	C an..3	N		Not used	
C058 Party Name	C	N			
3124 Name and address line	M an..35	N		Not used	
3124 Name and address line	C an..35	N		Not used	
3124 Name and address line	C an..35	N		Not used	
3124 Name and address line	C an..35	N		Not used	
C080 Name and address	C	O			
3036 Party name	M an..35	M	+DE03_S_STA_1078	Freight payer's name	
3036 Party name	C an..35	C			
3036 Party name	C an..35	C			
3036 Party name	C an..35	C			
3036 Party name	C an..35	C			
3036 Party name	C an..35	C			
C059 Party Name	C	O			
3042 Street and number/p.o. box	M an..35	C	+NORDSEHLER STRASSE 38	Freight payer's address	
3042 Street and number/p.o. box	C an..35	C			
3042 Street and number/p.o. box	C an..35	C			
3042 Street and number/p.o. box	C an..35	C			
3164 City Name	C an..35	O	STADTHAGEN		
3229 Country sub-entity identification	C an..9	N		Not used	
3251 Postcode identification	M an..9	C	+31655		
3207 Country, coded	C an..3	O	+DE	Refer to International Standard ISO 3166	

Example:

NAD+FP+1078000000++DE03_S_STA_1078+NORDSEHLER STRASSE 38+STADTHAGEN++31655+DE'

Group: **SG5** Status: M Max. occ.: 999

Group: **SG9** Status: O Max. occ.: 9

Segment: **NAD** Pos.: 17 Level: 2
Status: M Max. occ.: 1

Function: **Consignee**

Usage Notes

EDIFACT			FAURECIA Implementation		
Name	St	Format	St	Sample	Usage / Remarks
NAD				NAD	
3035	Party qualifier	M an..3	M	+CN	CN = Consignee
C082	Party identification details	C	M		
3039	Party id. identification	M an..35	M	+R515	Consignee's ID
1131	Code list qualifier	C an..3	N		Not used
3055	Code list responsible agency, coded	C an..3	N		Not used
C058	Party Name	C	N		
3124	Name and address line	M an..35	N		Not used
3124	Name and address line	C an..35	N		Not used
3124	Name and address line	C an..35	N		Not used
3124	Name and address line	C an..35	N		Not used
C080	Name and address	C	O		
3036	Party name	M an..35	M	+1337 INBOUND MECH.	Consignee name
3036	Party name	C an..35	C		
3036	Party name	C an..35	C		
3036	Party name	C an..35	C		
3036	Party name	C an..35	C		
3036	Party name	C an..35	C		
C059	Party Name	C	O		
3042	Street and number/p.o. box	M an..35	C	SPOLDZIELCZA 4	Consignee's address
3042	Street and number/p.o. box	C an..35	C		
3042	Street and number/p.o. box	C an..35	C		
3042	Street and number/p.o. box	C an..35	C		
3164	City Name	C an..35	O	GROJEC	
3229	Country sub-entity identification	C an..9	C		
3251	Postcode identification	M an..9	C	05-600	
3207	Country, coded	C an..3	O	PL	Refer to International Standard ISO 3166

Example:

NAD+CN+R515++1337 INBOUND MECH+SPOLDZIELCZA 4+GROJEC++05-600+PL'

Group: **SG5** Status: M Max. occ.: 1

Group: **SG9** Status: O Max. occ.: 1

Segment: **LOC** Pos.: 18 Level: 2
Status: O Max. occ.: 1

Function: **Location**

Usage Notes: Nowadays not used, included for future usage

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
	LOC			LOC	
3227	Place/location qualifier	M an..3	M	+11	11 = Place/port of discharge
C517	Location identification	C	M		
3225	Place/location identification	M an..25	N		Not used
1131	Code list qualifier	C an..3	N		Not used
3055	Code list responsible agency, coded	C an..3	N		Not used
3224	Place/location	C an..70	N		Not used

Example:

LOC+11'

Group: **SG5** Status: M Max. occ.: 999

Group: **SG9** Status: M Max. occ.: 9

Group: **SG10** Status: M Max. occ.: 9

Segment: **CTA** Pos.: 19 Level: 3
Status: C Max. occ.: 1

Function: **Consignor contact details**

Usage notes: **A Contact name is provided.**

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
	CTA			CTA	
3139	Contact function, coded	C an..3	M	+IC	IC = Information contact
C056	Department or employee details	C	M		
3413	Department or employee identification	C an..17	N	+	Not used
3412	Department or employee	C an..35	M	:CONTACTNAME	Contact name

Example:

CTA'

Group: **SG5** Status: M Max. occ.: 999

Group: **SG9** Status: M Max. occ.: 9

Group: **SG10** Status: M Max. occ.: 9

Segment: **COM** Pos.: 20 Level: 3
Status: C Max. occ.: 1

Function: **Consignor communication details**

Usage notes: An email Contact name is provided.

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
	COM			COM	
C076	COMMUNICATION CONTACT	M	O		
3148	Communication number	M an...256	M	+RADOSLAW.ZGODKA@FAURECIA.COM	Email of previous CTA segment
3155	Communication channel Qualifier	M an...3	M	:EM	ME = Electronic mail

Example:
COM+RADOSLAW.ZGODKA@FAURECIA.COM:EM'

Group: **SG15** Status: M Max. occ.: 999

Segment: **CNI** Pos.: 21
Status: M

Function: **Consignment Information**

Usage Notes:

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
	CNI			CNI	
1490	Consolidation item number	C n..4	M	+1	
C503	Document/message details	C	N		
1004	Document/message number	M an..3	N	:	Not used
1373	Document/message status, coded	C an..3	N	:	Not used
1366	Document/message source	C an..35	N	:	Not used
3453	Language, coded	C an..3	N	:	Not used

Example:

CNI+1'

Group: **SG15** Status: O Max. occ.: 999

Segment: **DTM** Pos.: 22
Status: M

Function: **Fixdate Collection**

Usage Notes: Only when "Loading"

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
	DTM			DTM	
C507	Date/time/period	M	M		
2005	Date/time/period qualifier	M an..3	M	+10	10=Fixdate Collection / Shipping date 234=Collection-Date earliest 235=Collection-Date latest
2380	Date/time/period	C an..35	M	:202103050900	Message Date/Time
2379	Date/time/period format qualifier	C an..3	M	:203'	203 =CCYYMMDDHHMM

Example:

DTM+10:202103050900:203'

Group: **SG15** Status: O Max. occ.: 999

Segment: **DTM** Pos.: 23
Status: M

Function: **Delivery date**

Usage Notes: Only when "Unloading"

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
	DTM			DTM	
C507	Date/time/period	M	M		
2005	Date/time/period qualifier	M an..3	M	+17	17= Delivery date/time, estimated
2380	Date/time/period	C an..35	M	:202103050900	234=Collection-Date earliest
2379	Date/time/period format qualifier	C an..3	M	:203'	235=Collection-Date latest Message Date/Time 203 =CCYYMMDDHHMM

Example:

DTM+17:202103050900:203'

Group: **SG15** Status: M Max. occ.: 999

Segment: **CNT** Pos.: 24
Status: M

Function: Control total

Usage Notes:

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
CNT				CNT	
C270	Control	M	M		15= Total consignment, cube
6069	Control qualifier	M an..3	M	+15	
6066	Control value	M n..18	M	:4.098'	
6411	Measure unit qualifier	C an..3	M	:MTQ	

Example:

CNT+15:4.098:MTQ'

Group: **SG15** Status: M Max. occ.: 999

Segment: **CNT** Pos.: 25
Status: M

Function: Control total

Usage Notes:

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
CNT				CNT	
C270	Control	M	M		7= Total gross weight
6069	Control qualifier	M an..3	M	+7	
6066	Control value	M n..18	M	:408.35	
6411	Measure unit qualifier	C an..3	M	:KGM	

Example:

CNT+7:408.35:KGM'

Group: **SG15** Status: M Max. occ.: 1

Group: **SG21** Status: M Max. occ.: 1

Segment: **TOD** Pos.: 26
Status: M

Function: **Terms of Delivery or Transport**

Usage notes:

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
	TOD			TOD	
4055	Terms of delivery or transport function, coded	C an..3	M	+6	6 = Delivery condition
4215	Transport charges method of payment, coded	C an..3	N		Not used
C100	Terms of delivery or transport	C	C		
4053	Terms of delivery or transport, coded	M an..3	M	+FCA'	
1131	Code list qualifier	C an..3	N	:	Not used
3055	Code list responsible agency, coded	C an..3	N	:	Not used
4052	Terms of delivery or transport	C an..70		:FAS_F16930	
4052	Terms of delivery or transport	C an..70		:10-LOAD'	

Example:

TOD+6++FCA:::FAS_F16930:10-LOAD'

Group: **SG15** Status: M Max. occ.: 1

Group: **SG30** Status: O Max. occ.: 9

Segment: **NAD** Pos.: 27
Status: M

Function: **Collection Address – Dispatch Party**

Usage Notes: Party where goods are collected or taken over by the carrier (i.e. if other than consignor)

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
NAD				NAD	Collection location's Informations
3035	Party qualifier	M an..3	M	+PW	PW = Despatch party
C082	Party identification details	C	C		
3039	Party id. identification	M an..35	M	+0000226172	Collection 's Identification Number
1131	Code list qualifier	C an..3	N	:	Not used
3055	Code list responsible agency, coded	C an..3	N	:	Not used
C058	Name and address	C	C		
3124	Name and address line	M an..35	N	:	Not used
3124	Name and address line	C an..35	N	:	Not used
3124	Name and address line	C an..35	N	:	Not used
3124	Name and address line	C an..35	N	:	Not used
3124	Name and address line	C an..35	N	:	Not used
C080	Party name	C	C		
3036	Party name	M an..35	M	+ARCELORMITTAL DISTRIBUTION	Collection name
3036	Party name	C an..35	N	:	Not used
3036	Party name	C an..35	N	:	Not used
3036	Party name	C an..35	N	:	Not used
3036	Party name	C an..35	N	:	Not used
3045	Party name format, coded	C an..3	N	:	Not used
C059	Street	C	C		
3042	Street and number/p.o. box	M an..35	M	+OSTATNIA 5	
3164	City name	C an..35	C	+BYTOM	
3229	Country sub-entity identification	C an..9	N	+	Not used
3251	Postcode identification	C an..9	C	+41-908	
3207	Country, coded	C an..3	C	+PL	Country Code see Codelist 3207

Example:

NAD+PW+0000226172++ARCELORMITTAL DISTRIBUTION+OSTATNIA 5+BYTOM++41-908+PL'

Group: **SG15** Status: M Max. occ.: 1

Group **SG30** Status: O Max. occ.: 9

Segment: **NAD** Pos.: 28
Status: M

Function: **Delivery Party**

Usage Notes: Party to which goods should be delivered, if not identical with consignee.

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
NAD				NAD	Location's Informations
3035	Party qualifier	M an..3	M	+DP	DP = Delivery party
C082	Party identification details	C	C		
3039	Party id. identification	M an..35	M	+R515	Identification Number
1131	Code list qualifier	C an..3	N	:	Not used
3055	Code list responsible agency, coded	C an..3	N	:	Not used
C058	Name and address	C	C		
3124	Name and address line	M an..35	N	+	Not used
3124	Name and address line	C an..35	N	:	Not used
3124	Name and address line	C an..35	N	:	Not used
3124	Name and address line	C an..35	N	:	Not used
3124	Name and address line	C an..35	N	:	Not used
C080	Party name	C	C		
3036	Party name	M an..35	M	+1337 INBOUND MECH	Collection name
3036	Party name	C an..35	N		Not used
3036	Party name	C an..35	N		Not used
3036	Party name	C an..35	N		Not used
3036	Party name	C an..35	N		Not used
3045	Party name format, coded	C an..3	N		Not used
C059	Street	C	C		
3042	Street and number/p.o. box	M an..35	M	+SPOLDZIELCZA	
3164	City name	C an..35	C	+GROJEC	
3229	Country sub-entity identification	C an..9	N	+	Not used
3251	Postcode identification	C an..9	C	+05-600	
3207	Country, coded	C an..3	C	+PL	Country Code see Codelist 3207

Example:

NAD+DP+R515++1337 INBOUND MECH+ SPOLDZIELCZA+GROJEC++05-600+PL'

Group: **SG15** Status: M Max. occ.: 1

Group: **SG37** Status: M Max. occ.: 1

Segment: **GID** Pos.: 29
Status: M

Function: Good item details

Usage notes:

EDIFACT			FAURECIA Implementation		
Name	St Format	St	Sample	Usage / Remarks	
GID			GID		
1496 Goods item number	C n..5	M	+1	Sequential number	
C213 Number and type of packages	C	C			
7224 Number of packages	M n..8	M	+33		
7065 Type of packages identification	C an..17	M	:CT		
1131 Code list qualifier	C an..3	N	:	Not used	
3055 Code list responsible agency, coded	C an..3	N	:	Not used	
7064 Type of packages	C an..35	M	:M'		

Example:

GID+1+33:CT:::M'

Group: **SG15** Status: M Max. occ.: 1

Group **SG37** Status: M Max. occ.: 999

Group **SG39** Status: O Max. occ.: 9

Segment: **MEA** Pos.: 30
Status: M

Function: **Measurements**

Usage Notes:

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
	MEA			MEA	Measurements
6311	Measurement application qualifier	M an..3	M	+AAE	AAE= Measurements
C502	Measurement Details	C	C		
6313	Measurement dimension, coded	M an..35	M	+G	G= Gross Weight
6321	Measurement significance, coded	C an..3	N		Not used
6155	Measurement attribute, coded	C an..3	N		Not used
6154	Measurement attribute	C an..70	N		Not used
C174	Value / Range	C	C		
6411	Measure unit qualifier	M an..3	M	+KGM	
6314	Measurement value	C n..18	M	:520.56	
6162	Range minimum	C n..18	N		Not used
6152	Range maximum	C n..18	N		Not used
6432	Significant digits	C n..2	N		Not used

Example:

MEA+AAE+G+KGM:520.56

Group: **SG15** Status: M Max. occ.: 1

Group **SG37** Status: M Max. occ.: 999

Group **SG39** Status: O Max. occ.: 9

Segment: **MEA** Pos.: 31
Status: M

Function: **Measurements**

Usage Notes:

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
	MEA			MEA	Measurements
6311	Measurement application qualifier	M an..3	M	+AAE	AAE= Measurements
C502	Measurement Details	C	C		
6313	Measurement dimension, coded	M an..35	M	+AAW	AAW= Gross volume
6321	Measurement significance, coded	C an..3	N		Not used
6155	Measurement attribute, coded	C an..3	N		Not used
6154	Measurement attribute	C an..70	N		Not used
C174	Value / Range	C	C		
6411	Measure unit qualifier	M an..3	M	+MTQ	
6314	Measurement value	C n..18	M	:6.84	
6162	Range minimum	C n..18	N		Not used
6152	Range maximum	C n..18	N		Not used
6432	Significant digits	C n..2	N		Not used

Example:

MEA+AAE+AAW+MTQ:6.84

Group: **SG15** Status: M Max. occ.: 1

Group **SG37** Status: M Max. occ.: 999

Group **SG41** Status: O Max. occ.: 9

Segment: **RFF** Pos.: 32
Status: M

Function: Shipment reference number (SRN)

Usage notes:

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
RFF				RFF	
C506	Reference	M	M		SRN = Shipment reference number
1153	Reference qualifier	M an..3	M	+SRN	
1154	Reference number	C an..35	M	:256679663	
1156	Code list responsible agency, coded	C an..6	N	:	Not used
4000	Reference version number	C an..35	O	:1337000000-0000226172	

Example:

RFF+SRN:256679663::1337000000-0000226172'

Group: **SG15** Status: M Max. occ.: 1

Group **SG37** Status: M Max. occ.: 999

Group **SG51** Status: O Max. occ.: 9

Segment: **DGS** Pos.: 33
Status: M

Function: **Dangerous goods**

Usage Notes:

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
DGS				DGS	
8273	Dangerous goods regulations,coded	C an..3	M	+ARD	ARD = Description for dangerous goods
C205	Hazard code	C	M		
8351	Hazard code identification	C an..7	M	+3	Hazard Code Identification (max. 4 characters).
8078	Hazard substance/item/page number	C an..7	M	:F1	ADR - code for classification
8092	Hazard code version number	C an..10	N		Not used
C234	UNDG INFORMATION	C	M		
7124	UNDG number	C n..4	M	+1987	UNDG number
7088	Dangerous goods flashpoint	C an..8	O		
C223	Dangerous goods regulations shipment flashpoint	C	O		
7106	Shipment flashpoint	C n..3	O	+	
6411	Measure unit qualifier	C an..3	O		
8339	Packing group, coded	C an..3	O	+III	To name the packaging group (I, II, III)

Example:

DGS+ADR+3:F1+1987++III'

Group: **SG15** Status: M Max. occ.: 1

Group **SG37** Status: M Max. occ.: 999

Group **SG51** Status: O Max. occ.: 9

Segment: **FTX** Pos.: 34
Status: O

Function: Free text

Usage Notes: Dangerous Good Description

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
FTX				FTX	
4451	Text subject qualifier	M an..3	M	+AAC	AAC=Dangerous goods additional information
4453	Text function, coded	M an..3	O	1	
C107	Text reference				
4441	Free text, coded	M an..3	N	:	Not used
1131	Code list qualifier	C an..3	N	:	Not used
3055	Code list responsible agency, coded	C an..3	N	:	Not used
C108	Text literal	M	M		
4440	Free text, coded	O an..70	O	FREE TEXT	Origin country code
4440	Free text, coded	O an..70	O	FREE TEXT	Category code
4440	Free text, coded	O an..70	O	FREE TEXT	
4440	Free text, coded	O an..70	O	FREE TEXT	

Example:

FTX+AAC+1++PL'

Group: **SG15** Status: M Max. occ.: 1

Group **SG37** Status: M Max. occ.: 999

Group **SG53** Status: O Max. occ.: 9

Segment: **MEA** Pos.: 35
Status: O

Function: **Measurements**

Usage Notes:

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
	MEA			MEA	Measurements
6311	Measurement application qualifier	M an..3	M	+WT	WT= Weights VOL= Volume LMT= Loading meter
C502	Measurement Details	C	C		
6313	Measurement dimension, coded	M an..3	M	+AAE	AAE= Item gross weight
6321	Measurement significance, coded	C an..3	N		Not used
6155	Measurement attribute, coded	C an..3	N		Not used
6154	Measurement attribute	C an..70	N		Not used
C174	Value / Range	C	C		
6411	Measure unit qualifier	M an..3	M	+KGM	KGM = Kilogram MTQ = Cubic metre M = Meter
6314	Measurement value	C n..18	N	:10	Weight/Volume/Loading meter
6162	Range minimum	C n..18	N	:	Not used
6152	Range maximum	C n..18	N	:	Not used
6432	Significant digits	C n..2	N	:	Not used

Example:

MEA+WT+AAE+KGM:10'

Group: **SG15** Status: M Max. occ.: 1

Group **SG56** Status: O Max. occ.: 9

Segment: **EQD** Pos.: 36
Status: M

Function: **Equipment details**

Usage Notes:

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
	EQD			EQD	
8053	Equipment qualifier	M an..3	M	+EP	Type of equipment
C237	Equipment identification	C	C		
8260	Equipment identification number	C an..17	M	+ABC123456	
1131	Code list qualifier	C an..3	N		Not used
3055	Code list responsible agency, coded	C an..3	N		Not used
3207	Country, coded	C an..3	N		Not used
C224	Value / Range	C	C		
8155	Measure unit qualifier	M an..10	N		Not used
1131	Code list qualifier	C an..3	N		Not used
3055	Code list responsible agency, coded	C an..3	N		Not used
8154	Equipment size and type	C an..35	N		Not used
8077	Equipment supplier, coded	C an..3	N		Not used
8249	Equipment status, coded	C an..3	N		Not used
8169	Full/Empty indicator	C an..3	N		Not used

Example:

EQD+EP+ABC123456'

Group: **SG15** Status: M Max. occ.: 1

Group **SG56** Status: O Max. occ.: 9

Segment: **EQN** Pos.: 37
Status: O

Function: **Number of units**

Usage Notes:

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
EQN				EQN	
C523	Number of units details	C	C		
6350	Number of units	C n..15	M	+1	number of equipment named before
6353	Number of units qualifier	C an..3	N		Not used
3055	Code list responsible agency, coded	C an..3	N		Not used
3207	Country, coded	C an..3	N		Not used

Example:

EQN+1'

Segment: **UNT** Pos.: 38 Level: 0
Status: M Max. occ.: 1

Function: **MESSAGE TRAILER**

Usage notes:

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
	UNT			UNT	
0074	Number of segments in a message	M n..6	M	+40	
0062	Message reference number	M an..14	M	+5'	

Example:
UNT+40+5'

Segment: **UNZ** Pos.: 39 Level: 0
Status: M Max. occ.: 1

Function: INTERCHANGE TRAILER

Usage notes:

EDIFACT			FAURECIA Implementation		
	Name	St Format	St	Sample	Usage / Remarks
	UNZ			UNZ	
0036	Interchange control count	M n..6	M	+1	
0020	Interchange control reference	M an..14	M	+0006136'	

Example:

UNZ+1+0006136'


5. Example of Message

Following example is only illustrative and does not necessarily reflect an existing situation. It may never be used as a basis for programming or implementing this message.

Example 1: IFCSUM D96A

UNB+UNOC:3+SND+RCV+220209:1022+0000416'	Interchange Header
UNH+1+IFCSUM:D:96A:UN:EAN004'	Message Header
BGM+615::9+6100656936+9'	Beginning of message
DTM+137:20220209:102'	Document date
MOA+157:1894.97:EUR'	Monetary Amount
CNT+7:18383.12:KGM'	Total Freight Order Weight
CNT+15:6.048:MTQ'	Total Freight Order Volume
RFF+AFC:6100656936'	Freight Order Number
RFF+ZZZ:CEI'	Defined Reference Number
TDT+20+FAS_F18763++31:ZFTL_STD+::ZZZ+++::M'	Detail of transport
TSR+3+1+3'	Transport service requirements
FTX+SUR+++SECURED'	Free text
NAD+CA+150620++SOSTMEIER AUTOMOTIVE GMBH+CARL-STOLCKE-STRASSE 1+OSNABRUECK++49090+DE'	Carrier details
NAD+CZ+1078000000++DE03_S_STA_1078+NORDSEHLER STRASSE 38+STADTHAGEN++31655+DE'	Consignor
NAD+FP+1078000000++DE03_S_STA_1078+NORDSEHLER STRASSE 38+STADTHAGEN++31655+DE'	Freight/charges Payer
NAD+CN+C099004386++PROMA SSA SRL - STABILIMENTO MELFI+COMPL. IND.LE SAN NICOLA DI MELFI+SAN-NICOLA-DI-MELFI (PZ)+PZ+85025+IT'	Consignee
CNI+1'	Consignment Information 1
DTM+10:202202090100:102'	Collection / Shipping date/time
CNT+15:6.048:MTQ'	Consignment Volume
CNT+7:18383.12:KGM'	Consignment Gross
TOD+6++EXW:::FAS_F18763:10-LOAD'	Terms of Delivery Transport
NAD+PW+S525++1337+SPOLDZIELCZA 4+GROJEC++05-600+PL'	Dispatch party
GID+1+42:CT:::M'	Goods item details
MEA+AAE+G+KGM:13003.408'	Item consignment Gross Weight
MEA+AAE+AAW+MTQ:6.048'	Item consignment Gross volume
RFF+SRN:75606964::C099004386-1337000000'	Shipment Reference Number
GID+2+0:CT:::M'	Goods item details
MEA+AAE+G+KGM:3953.76'	Item consignment Gross Weight
MEA+AAE+AAW+MTQ:0'	Item consignment Gross volume
RFF+SRN:75606965::C099004386-1337000000'	Shipment Reference Number
GID+3+0:CT:::M'	Goods item details
MEA+AAE+G+KGM:1425.952'	Item consignment Gross Weight
MEA+AAE+AAW+MTQ:0'	Item consignment Gross volume
RFF+SRN:75606966::C099004386-1337000000'	Shipment Reference Number
CNI+2'	Consignment Information 2
DTM+17:202202110700:102'	Delivery date/time
CNT+15:6.048:MTQ'	Consignment Volume
CNT+7:18383.12:KGM'	Consignment Gross
TOD+6++EXW:::FAS_F18763:10-UNLOAD'	Detail of transport
NAD+DP+C099004386++PROMA SSA SRL - STABILIMENTO MELFI+COMPL. IND.LE SAN NICOLA DI MELFI+SAN-NICOLA-DI-MELFI (PZ)+PZ+85025+IT'	Delivery Party
GID+1+42:CT:::M'	Goods item details
MEA+AAE+G+KGM:13003.408'	Item consignment Gross Weight
MEA+AAE+AAW+MTQ:6.048'	Item consignment Gross volume
RFF+SRN:75606964::C099004386-1337000000'	Shipment Reference Number
GID+2+0:CT:::M'	Goods item details
MEA+AAE+G+KGM:3953.76'	Item consignment Gross Weight
MEA+AAE+AAW+MTQ:0'	Item consignment Gross volume
RFF+SRN:75606965::C099004386-1337000000'	Shipment Reference Number
GID+3+0:CT:::M'	Goods item details
MEA+AAE+G+KGM:1425.952'	Item consignment Gross Weight
MEA+AAE+AAW+MTQ:0'	Item consignment Gross volume
RFF+SRN:75606966::C099004386-1337000000'	Shipment Reference Number
UNT+52+1'	Message Trailer
UNZ+1+0000416'	Interchange Trailer

Related pick-up report - Example 1

CARRIER NAME	CARRIER CODE	PICK-UP REPORT
SOSTMEIER AUTOMOTIVE GMBH	150620	
DRIVER NAME	TRAILER NUMBER	
FREIGHT ORDER		 6100656936
6100656936		

TENDERING REFERENCE	SCHEDULE NUMBER	SCHEDULE DESCRIPTION	TRUCK TYPE
	FAS_F18763	Grojec Mech -> Proma Melfi 24t STD	FTL - Standard

Collection/ delivery	Stage	Name / address	Arrival Time	Departure Time	Nb of HU*	Volume	Weight	Manifest	Dock			
C	S525	Faurecia Automotive Polska S.A. 4 SPOLDZIELCZA 05-600 Grojec		09.02.2022 02:00	C09900 4386	42	6,048	M3	18.383,120	KG	75606964	75606965
											75606966	
D	C099004386	PROMA SSA SRL - STABILIMENTO MELFI COMPL. IND.LE SAN NICOLA DI MELFI 85025 SAN-NICOLA-DI-MELFI (PZ)	11.02.2022 08:00			42	6,048	M3	18.383,120	KG	75606964	75606965
											75606966	

Max Weight	Max Volume	Max NB Pallets or CONT*
18.383,120 KG	6,048 M3	42

WEIGHT	VOLUME	NB PALLETS or CONT*
18.383,120 KG	6,048 M3	42

Release Date and Time
09.02.2022 03:55:27

DRIVER	FAURECIA
SIGNATURE:	SIGNATURE:
NAME:	NAME:
DATE:	DATE:

Page Number
1

*Estimated number

*All time displayed are as per the local time zone


Acceptance to perform the Transportation Services requested in this document implies your acceptance of the General conditions of Purchase and the Supplier Requirements Manuals that are available on the following page: <http://www.faurecia.com/en/supplier>.

Example 2: IFCSUM D96A

UNB+UNOC:3+SND+RCV+220211:0850+0000420'	Interchange Header
UNH+1+IFCSUM:D:96A:UN'	Message Header
BGM+615::9+6100657198+9'	Beginning of message
DTM+137:20220211:102'	Document date
MOA+157:493.35:EUR'	Monetary Amount
CNT+7:408.35:KGM'	Total Freight Order Weight
CNT+15:4.098:MTQ'	Total Freight Order Volume
RFF+AFC:6100657198'	Freight Order Number
RFF+ZZ:CET'	Defined Reference Number
TDI+20+TI-2012-FT-RT-V N++31:ZFTL_V1T5+::ZZZ+++::M'	Detail of transport
TSR+3+1+3'	Transport service requirements
FTX+SUR+++SECURED'	Free text
NAD+CA+100773++C.S. CARGO A.S.+HRADECKA 1116+JICIN++506 01+CZ'	Carrier details
NAD+CZ+2386000000++PT01_I_SJS_2386+RUA DE CUCUJAES 44+SAO-JOAO-DA-MADEIRA++3701-953+PT'	Consignor
NAD+FP+2386000000++PT01_I_SJS_2386+RUA DE CUCUJAES 44+SAO-JOAO-DA-MADEIRA++3701-953+PT'	Freight/charges Payer
NAD+CN+RA55++SK06_I_HLO_2012+GEFCO - LOGISTICKY PARK TRNAVA - ZA+ZAVAR++919 26+SK'	Consignee
CTA'	Contact
COM+ARIBA_INTERNAL_PO@FAURECIA.COM:EM'	Contact email
CNI+1'	Consignment Information 1
DTM+10:202202150800:102'	Collection / Shipping date/time
CNT+15:4.098:MTQ'	Consignment Volume
CNT+7:408.35:KGM'	Consignment Gross
TOD+6++EXW::TI-2012-FT-RT-V NOVARES:20-LOAD'	Terms of Delivery Transport
NAD+PW+0000105559++NOVARES CZ JANOVICE S.R.O.+ROZVOJOVA ZONA 555+JANOVICE NAD	Dispatch party
UHLAVOU++340 21+CZ'	Goods item details
GID+1+6:CT::M'	Item consignment Gross Weight
MEA+AAE+G+KGM:408.35'	Item consignment Gross volume
MEA+AAE+AAW+MTQ:4.098'	Shipment Reference Number
RFF+SRN:257545124::2012000000-0000105559'	Consignment Information 2
CNI+2'	Delivery Date/time
DTM+17:202202151530:102'	Consignment Gross
CNT+15:4.098:MTQ'	Consignment Volume
CNT+7:408.35:KGM'	Terms of Delivery Transport
TOD+6++EXW::TI-2012-FT-RT-V NOVARES:20-UNLOAD'	Delivery party
NAD+DP+RA55++SK06_I_HLO_2012+GEFCO - LOGISTICKY PARK TRNAVA - ZA+ZAVAR++919 26+SK'	Goods item details
GID+1+6:CT::M'	Item consignment Gross Weight
MEA+AAE+G+KGM:408.35'	Item consignment Gross volume
MEA+AAE+AAW+MTQ:4.098'	Shipment Reference Number
RFF+SRN:257545124::2012000000-0000105559'	Message Trailer
UNT+38+1'	Interchange Trailer
UNZ+1+0000420'	

Related pick-up report - Example 2

CARRIER NAME	CARRIER CODE
C.S. CARGO A.S.	100773
DRIVER NAME	TRAILER NUMBER

PICK-UP REPORT	
FREIGHT ORDER	 6100657198
6100657198	

TENDERING REFERENCE	SCHEDULE NUMBER	SCHEDULE DESCRIPTION	TRUCK TYPE
	TI-2012-FT-RT-V NOVARES	TI-2012-FT-RT-V Novares	FTL - Van 1,5 t

Collection/delivery	Stage	Name / address	Arrival Time	Departure Time	Nb of HU*	Volume	Weight	Manifest	Dock
C	0000105559	NOVARES CZ JANOVICE S.R.O. ROZVOJOVA ZONA 555 340 21 JANOVICE NAD UHLAVOU		15.02.2022 09:00	RA55 6	4,098 M3	408,350 KG	257545124	
D	RA55	Faurecia Automotive Slovakia s. r. o. GEFCO - LOGISTICKY PARK TRNAVA - ZAVAR 919 26 ZAVAR	15.02.2022 16:30		6	4,098 M3	408,350 KG	257545124	

Max Weight	Max Volume	Max NB Pallets or CONT*
408,350 KG	4,098 M3	6
WEIGHT	VOLUME	NB PALLETS or CONT*
408,350 KG	4,098 M3	6

DRIVER	FAURECIA
SIGNATURE:	SIGNATURE:
NAME:	NAME:
DATE:	DATE:

Release Date and Time
09.02.2022 16:51:12

Page Number
1

*Estimated number

*All time displayed are as per the local time zone


Acceptance to perform the Transportation Services requested in this document implies your acceptance of the General conditions of Purchase and the Supplier Requirements Manuals that are available on the following page: <http://www.faurecia.com/en/supplier>.

Example 3: IFCSUM D96A

UNB+UNOC:3+SND+RCV+220211:0846+0000419'
 UNH+1+IFCSUM:D:96A:UN'
 BGM+615::9+6100654241+9'
 DTM+137:20220211:102'
 MOA+157:2137.2:EUR'
 CNT+7:1994.662:KGM'
 CNT+15:8.172:MTQ'
 RFF+AFC:6100654241'
 RFF+ZZ:CET'
 TDT+20+TI-1256-FIRT-LEGN++31:ZFTL_MEGA+::ZZZ++++:LT'
 TSR+3+1+3'
 FTX+SUR+++SECURED'
 NAD+CA+148628++GEODIS POLAND SP. Z O.O.+UL.POSTEPU 17B+WARSZAWA++02-676+PL'
 NAD+CZ+2386000000++PT01_I_SJS_2386+RUA DE CUCUJAES 44+SAO-JOAO-DA-MADEIRA++3701-953+PT'
 NAD+FP+2386000000++PT01_I_SJS_2386+RUA DE CUCUJAES 44+SAO-JOAO-DA-MADEIRA++3701-953+PT'
 NAD+CN+R580++RECEPTION FLUX TRIANGULAIRES+PARC ACTIVITES+ST MICHEL-SUR-MEURTHE++88470+FR'
 CTA'
 COM+PASCALE.TISSELIN@FAURECIA.COM:EM'
 CNI+1'
 DTM+10:202202100700:102'
 CNT+15:8.172:MTQ'
 CNT+7:1994.662:KGM'
 TOD+6++EXW:::TI-1256-FIRT-LEGNICA2-STK-STM:10-LOAD'
 NAD+PW+2156000000++PL11_LEG_2156+GNIEWOMIERZ 180+LEGNICKIE POLE++59-241+PL'
 GID+1+86:CT:::LT'
 MEA+AAE+G+KGM:395.262'
 MEA+AAE+AAW+MTQ:6.192'
 RFF+SRN:257536110::1256000000-2156000000'
 GID+2+11:CT:::LT'
 MEA+AAE+G+KGM:1599.4'
 MEA+AAE+AAW+MTQ:1.98'
 RFF+SRN:257556170::1256000000-2156000000'
 CNI+2'
 DTM+17:202202140730:102'
 CNT+15:6.192:MTQ'
 CNT+7:395.262:KGM'
 TOD+6++EXW:::TI-1256-FIRT-LEGNICA2-STK-STM:20-UNLOAD'
 NAD+DP+R560++RECEPTION SAINT MICHEL+PARC ACTIVITES+ST MICHEL-SUR-MEURTHE++88470+FR'
 GID+1+86:CT:::LT'
 MEA+AAE+G+KGM:395.262'
 MEA+AAE+AAW+MTQ:6.192'
 RFF+SRN:257536110::1256000000-2156000000'
 CNI+3'
 DTM+17:202202161500:102'
 CNT+15:1.98:MTQ'
 CNT+7:1599.4:KGM'
 TOD+6++EXW:::TI-1256-FIRT-LEGNICA2-STK-STM:40-UNLOAD'
 NAD+DP+R580++RECEPTION FLUX TRIANGULAIRES+PARC ACTIVITES+ST MICHEL-SUR-MEURTHE++88470+FR'
 GID+1+11:CT:::LT'
 MEA+AAE+G+KGM:1599.4'
 MEA+AAE+AAW+MTQ:1.98'
 RFF+SRN:257556170::1256000000-2156000000'
 UNT+52+1'
 UNZ+1+0000419'

Interchange Header
 Message Header
 Beginning of message
 Document date
 Monetary Amount
 Total Freight Order Weight
 Total Freight Order Volume
 Freight Order Number
 Defined Reference Number
 Detail of transport
 Transport service requirements
 Free text
 Carrier details
 Consignor
 Freight/charges Payer
 Consignee
 Contact
 Contact email
 Consignment Information 1
 Collection / Shipping date/time
 Consignment Volume
 Consignment Gross
 Terms of Delivery Transport
 Dispatch party
 Goods item details
 Item consignment Gross Weight
 Item consignment Gross volume
 Shipment Reference Number
 Goods item details
 Item consignment Gross Weight
 Item consignment Gross volume
 Shipment Reference Number
 Consignment Information 2
 Delivery Date/time
 Consignment Volume
 Consignment Gross
 Terms of Delivery Transport
 Delivery party
 Goods item details
 Item consignment Gross Weight
 Item consignment Gross volume
 Shipment Reference Number
 Consignment Information 3
 Delivery Date/time
 Consignment Volume
 Consignment Gross
 Terms of Delivery Transport
 Delivery party
 Goods item details
 Item consignment Gross Weight
 Item consignment Gross volume
 Shipment Reference Number
 Message Trailer
 Interchange Trailer

Related pick-up report - Example 3

CARRIER NAME	CARRIER CODE	PICK-UP REPORT
GEODIS POLAND SP. Z O.O.	148628	
DRIVER NAME	TRAILER NUMBER	
FREIGHT ORDER		 6100654241
6100654241		

TENDERING REFERENCE	SCHEDULE NUMBER	SCHEDULE DESCRIPTION	TRUCK TYPE
	TI-1256-FTRT-LEGNICA2- STK-STM	TI-1256-FTRT-LEGNICA2- STK-STM	FTL - MEGA

Collection/ delivery	Stage	Name / address	Arrival Time	Departure Time	Nb of HU*	Volume	Weight	Manifest	Dock
C	2156000000	FAURECIA LEGNICA DECORATIONS SA 180 GNIEWOMIERZ 59-241 LEGNICKIE POLE		10.02.2022 08:00	R560 126	32,922	M3 2.490,262	KG 257536110 257560751	
					R580 11	1,980	M3 1.599,400	KG 257556170	
D	R560	RECEPTION SAINT MICHEL PARC ACTIVITES 88470 ST MICHEL-SUR- MEURTHE	14.02.2022 08:30		126	32,922	M3 2.490,262	KG 257536110 257560751	
D	R580	RECEPTION FLUX TRIANGULAIRES PARC ACTIVITES 88470 ST MICHEL-SUR- MEURTHE	16.02.2022 16:00		11	1,980	M3 1.599,400	KG 257556170	

Max Weight	Max Volume	Max NB Pallets or CONT*
4,089,662 KG	34,902 M3	137

WEIGHT	VOLUME	NB PALLETS or CONT*
4,089,662 KG	34,902 M3	137

Release Date and Time
10.02.2022 17:18:32

DRIVER	FAURECIA
SIGNATURE:	SIGNATURE:
NAME:	NAME:
DATE:	DATE:

Page Number
1

*Estimated number

*All time displayed are as per the local time zone


Acceptance to perform the Transportation Services requested in this document implies your acceptance of the General conditions of Purchase and the Supplier Requirements Manuals that are available on the following page: <http://www.faurecia.com/en/supplier>.

Example 4: IFCSUM D96A

UNB+UNOC:3+SND+RCV+220211:0850+0000421'
 UNH+1+IFCSUM:D:96A:UN'
 BGM+615::9+6100657972+9'
 DTM+137:20220211:102'
 MOA+157:779.44:EUR'
 CNT+7:2245.768:KGM'
 CNT+15:9.24:MTQ'
 RFF+AFC:6100657972'
 RFF+ZZZ:CET'
 TDT+20+FAS_F17465++31:ZFTL_MEGA++ZZZ+++::LT'
 TSR+3+1+3'
 FTX+SUR+++SECURED'
 NAD+CA+100244++TC 58 SAS+ZONE ARTISANALE DE LA GUETTE+CERCY-LA-TOUR++58340+FR'
 NAD+CZ+1078000000++DE03_S_STA_1078+NORDSEHLER STRASSE 38+STADTHAGEN++31655+DE'
 NAD+FP+1078000000++DE03_S_STA_1078+NORDSEHLER STRASSE 38+STADTHAGEN++31655+DE'
 NAD+CN+R026++FAURECIA SIELEST+ZI AIRE DE LA THUR+PULVERSHEIM++68840+FR'
 CTA'
 COM+ARIBA_INTERNAL_PO@FAURECIA.COM:EM'
 CNI+1'
 DTM+10:202202111330:102'
 CNT+15:0.144:MTQ'
 CNT+7:26.56:KGM'
 TOD+6++EXW:::FAS_F17465:10-LOAD'
 NAD+PW+1170000000++FR01_S_CER_1170+AVENUE LOUIS COUDANT 89+CERCY-LA-TOUR++58340+FR'
 GID+1+3:CT:::LT'
 MEA+AAE+G+KGM:26.56'
 MEA+AAE+AAW+MTQ:0.144'
 RFF+SRN:257549841::1228000000-1170000000'
 CNI+2'
 DTM+10:202202111800:102'
 CNT+15:9.096:MTQ'
 CNT+7:2219.208:KGM'
 TOD+6++EXW:::FAS_F17465:20-LOAD'
 NAD+PW+1173000000++FR01_S_NSV_1173+28 RUE DE VARENNES+NOGENT-SUR-VERNISSON++45290+FR'
 GID+1+18:CT:::LT'
 MEA+AAE+G+KGM:2219.208'
 MEA+AAE+AAW+MTQ:9.096'
 RFF+SRN:257549828::1228000000-1173000000'
 CNI+3'
 DTM+17:202202140430:102'
 CNT+15:9.24:MTQ'
 CNT+7:2245.768:KGM'
 TOD+6++EXW:::FAS_F17465:20-UNLOAD'
 NAD+DP+R026++FAURECIA SIELEST+ZI AIRE DE LA THUR+PULVERSHEIM++68840+FR'
 GID+1+18:CT:::LT'
 MEA+AAE+G+KGM:2219.208'
 MEA+AAE+AAW+MTQ:9.096'
 RFF+SRN:257549828::1228000000-1173000000'
 GID+2+3:CT:::LT'
 MEA+AAE+G+KGM:26.56'
 MEA+AAE+AAW+MTQ:0.144'
 RFF+SRN:257549841::1228000000-1170000000'
 UNT+52+1'
 UNZ+1+0000421'

Interchange Header
 Message Header
 Beginning of message
 Document date
 Monetary Amount
 Total Freight Order Weight
 Total Freight Order Volume
 Freight Order Number
 Defined Reference Number
 Detail of transport
 Transport service requirements
 Free text
 Carrier details
 Consignor
 Freight/charges Payer
 Consignee
 Contact
 Contact email
 Consignment Information 1
 Collection / Shipping date/time
 Consignment Volume
 Consignment Gross
 Terms of Delivery Transport
 Dispatch party
 Goods item details
 Item consignment Gross Weight
 Item consignment Gross volume
 Shipment Reference Number
 Consignment Information 2
 Collection / Shipping date/time
 Consignment Volume
 Consignment Gross
 Terms of Delivery Transport
 Dispatch party
 Goods item details
 Item consignment Gross Weight
 Item consignment Gross volume
 Shipment Reference Number
 Consignment Information 3
 Delivery Date/time
 Consignment Volume
 Consignment Gross
 Terms of Delivery Transport
 Delivery party
 Goods item details
 Item consignment Gross Weight
 Item consignment Gross volume
 Shipment Reference Number
 Goods item details
 Item consignment Gross Weight
 Item consignment Gross volume
 Shipment Reference Number
 Message Trailer
 Interchange Trailer

Related pick-up report - Example 4

CARRIER NAME	CARRIER CODE	PICK-UP REPORT
TC 58 SAS	100244	
DRIVER NAME	TRAILER NUMBER	
FREIGHT ORDER		 6100657972
6100657972		

TENDERING REFERENCE	SCHEDULE NUMBER	SCHEDULE DESCRIPTION	TRUCK TYPE
	FAS_F17465	Cercy > Nogent > Sielest	FTL - MEGA

Collection/delivery	Stage	Name / address	Arrival Time	Departure Time	Nb of HU*	Volume	Weight	Manifest	Dock
C	1170000000	FAURECIA SIEGES D'AUTOMOBILE S.A. S. 89 AVENUE LOUIS COUDANT 58340 CERCY-LA-TOUR		11.02.2022 14:30	R026 3	0,144 M3	26,560 KG	257549841	
C	1173000000	FAURECIA SIEGES D'AUTOMOBILE S.A. S. 28 RUE DE VARENNES 45290 NOGENT-SUR-VERNISSON		11.02.2022 19:00	R026 18	9,096 M3	2.219,208 KG	257549828	
D	R026	FAURECIA SIELEST ZI AIRE DE LA THUR 68840 PULVERSHEIM	14.02.2022 05:30		21	9,240 M3	2.245,768 KG	257549828 257549841	

Max Weight	Max Volume	Max NB Pallets or CONT*
2.245,768 KG	9,240 M3	21
WEIGHT	VOLUME	NB PALLETS or CONT*
2.245,768 KG	9,240 M3	21

DRIVER	FAURECIA
SIGNATURE:	SIGNATURE:
NAME:	NAME:
DATE:	DATE:

Release Date and Time
09.02.2022 17:07:19

Page Number
1

*Estimated number

*All time displayed are as per the local time zone

Acceptance to perform the Transportation Services requested in this document implies your acceptance of the General conditions of Purchase and the Supplier Requirements Manuals that are available on the following page: <http://www.faurecia.com/en/supplier>.